

Ron Oppenheimer Aerial Rope Technical Requirements

Stage Dimensions:

- Minimum height from floor to ceiling: 8.5m | 28 ft
- Minimum floor dimensions: 4m x 4m | 13 ft x 13 ft
- Minimum working load 544 kg | 1200 lbs
- Ideal height: 9m | 30ft

Act Duration: 4 1/2 minutes (adjustable)*

Stage Lighting: Appreciated but not required

Warm Up:

- Requires 20 minimum for practice on stage prior to the show (with lighting if applicable).
- Requires access to dressing room and warmup space 2 hours prior to performance
- Dressing room must be clean. Well lit, warm and have access to bathroom, and drinking water.

Special Requests:

- The installation of rigging must be done by an experienced acrobatic rigger
- The rigging structures and equipment must meet all of the safety requirements and ratings listed above
- The artist can provide the rigger at additional costs.
- The artist reserves the right to verify the rigging installation as well as equipment
- The artist reserves the right to communicate directly with the rigger(s)

The Artist Will Provide

(Unless otherwise specified):


- Music (via USB or email)
- Makeup
- Costume
- Corde Lisse (swivels, bungee, carabiners)

The Employer will provide:

- An experienced acrobatic rigger
- A secure and properly rated rigging structure
- An audio device to play music for number

* The number can be adapted, contact for more information.

** A mat is appreciated, but a version of the number can be done without one.



Drawing is not proportional.